



# COMMONWEALTH of VIRGINIA

## DEPARTMENT OF TRANSPORTATION

1401 EAST BROAD STREET  
RICHMOND, VIRGINIA 23219-2000

## COMMONWEALTH OF VIRGINIA DEPARTMENT OF TRANSPORTATION

NOTICE OF AWARD  
FMS11# 22424 IFB# 91855

August 30, 2005

Name of Contractor: Capital GMC Pontiac Inc  
Address: 5500 S Laburnum  
Richmond, VA 23231  
Attn: Mr. Jim Wester

Your Bid Offer date: 9-15-2005  
Your bid Response to: Contract# 22431

To Furnish: Trucks, 3/4ton Pickup  
Period of Contract- September 30, 2005 – September 30, 2006

Hereby is accepted at prices and terms stated, subject to all conditions and requirements Of the solicitation, purchase specifications, warranties performance bond and other stipulations, if any. The solicitation, your bid offer and this notice of acceptance constitute the contract.

Sincerely,

A handwritten signature in cursive script, reading "David M. Smith".

David M. Smith  
Contract Officer, VCO, CPPB

**COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF TRANSPORTATION  
ADMINISTRATIVE SERVICES DIVISION  
1401 EAST BROAD STREET  
RICHMOND, VIRGINIA 23219**

**NOTICE OF CONTRACT AWARD**

1. DATE..... August 29, 2005
2. COMMODITY NAME..... Trucks, 3/4 ton Pickup
3. .... GMC – 2500 Pickup
4. CONTRACT NUMBER..... IFB# 91855
5. CONTRACT PERIOD..... September -thru cut off date
6. AUTHORIZED USERS..... State Agencies and other Public Bodies
7. CONTRACOTRS FIN NUMBER..... 54-083-4295
8. CONTRACTOR..... Capital GMC, Pontiac.  
5500 S. Laburnum  
Richmond, VA 23231
9. CONTRACTOR CONTACT PERSON..... Mr. Jim Wester
10. CONTRACOR'S PHONE NUMBER..... 804-222-4600  
FAX NUMBER..... 804-222- 8467
11. DELIVERY..... 120 Days
12. PRICES AND OPTIONS..... See Attached
13. FOB..... Richmond, Virginia
14. FOR FURTHER CONTRACT INFORMATION CONTACT..... David M. Smith  
804-786-5179
15. FOR ADDITIONAL COPIES OF THIS AND OTHER CONTRACTS AND ANY ASSOCIATE
16. CONTRACTS, E MAIL ME AT david4.smith@vdot.virginia.gov

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF TRANSPORTATION  
RICHMOND VA 23219

PRICE AND OPTION DATA  
IFB NO. 91855 #22431

MAKE & MODEL – Truck, GMC  
2006 model K-2500

BASE UNIT COST \$ 20,162.00

DELIVERY: Approx. 90-120 days

Options: Options which were part of award

Extended Cab.....	\$2299.00	Short Bed
Extended Cab.....	\$2558.00	Long Bed
Crew Cab.....	\$4349.00	Short Bed
Crew Cab.....	\$4643.00	Long Bed
Service Manuals.....	\$ 118.00	
Seats, Highbacks	\$1.00	
Push Bumper 18" Rubber faced	\$738.00	

David M. Smith  
Contract Officer

---



Commonwealth of Virginia  
Department of Transportation  
CONTRACT PRINT

Run Date: 08/29/2005  
Run Time: 03:34 PM

Contract Description: TRUCK, 3/4 Ton

Page No. 1 of 2

Contract ID	:	000000000000022431	Contract Begin Date	:	10/13/2004
Effective Date	:	08/29/2005	Contract End Date	:	05/15/2006
Max Amount Per Contract	:	\$ .00	Buyer	:	David Smith
			Buyer Phone Nbr	:	804/786-5179

Vendor Name	:	CAPITAL GMC TRUCKS, INC.	Vendor ID	:	0000004074
Address1	:	5500 SOUTH LABURNUM AVE.	Phone	:	804/222-4600
Address2	:		Fax	:	804/222-8467
Address3	:		Vendor Contact	:	James Wester
Address4	:		Vendor Contact Phone	:	804/222-4600
City	:	RICHMOND			
State	:	VA Zip Code : 23231			

Comments :

This contract is the result of RFQ # 91855, all terms and conditions will apply. Dated Oct 15 2004.

Manuals are an option \$95.00 options were a part of the award.  
Extended on August 29th, 05

Line Nbr	Item Code	Make, Model	Item/ Category Description	UOM	Unit Price	Max Qty	Min Qty
1	0704857000	GMC Sierra 2500HD	TRUCKS, PICKUP, 3/4 TON TRUCKS, PICKUP, 3/4 TON	EA	20,162.0000	0.00	0.00
2	0559903010	GMC Extended Cab Short BED	CAB, EXTENDED VEHICLE OPTIONS "C"	EA	2,299.0000	0.00	0.00
3	0559903010	GMC Extended Cab Long Bed	CAB, EXTENDED VEHICLE OPTIONS "C"	EA	2,558.0000	0.00	0.00
4	0559903005	GMC Crew Cab Short Bed	CAB, CREW VEHICLE OPTIONS "C"	EA	4,349.0000	0.00	0.00
5	0559903005	GMC Crew Cab Long Bed	CAB, CREW VEHICLE OPTIONS "C"	EA	4,643.0000	0.00	0.00
6	0559919265	GMC Seats High Back	SEAT, HIGH BACK VEHICLE OPTIONS "S"	EA	1.0000	0.00	0.00
7	0559904450	Push bumper 18# approx rubber faced	DIAGRAMS/ETC. VEHICLE OPTIONS "D"	EA	738.0000	0.00	0.00
8	0559919290	Manuals	SERVICE MANUALS VEHICLE OPTIONS "S"	EA	95.0000	0.00	0.00

End of Report



## VIRGINIA DEPARTMENT OF TRANSPORTATION

### SPECIFICATIONS

#### Pickup Truck (8600 GVW)

**General:** The pickup truck furnished shall conform to the following specifications.

All standard equipment as advertised by the manufacturer is to be furnished on the vehicle.

**Option List:** These specifications contain options for purchase at the time units are ordered. Bidders shall quote the additional cost for each option as applicable to the base specification of the truck. A price is required for each option unless otherwise noted. Bidder should provide the same make and model truck as bid in the base specification except for changes necessary to comply with the option.

**Wheelbase:** The wheelbase is to be 130" minimum.

**GVWR:** The gross vehicle weight rating is to be 8,600 lbs., minimum.

**Engine:** To be diesel powered with a displacement of not less than 5.9 liters. To be rated at not less than 310 horsepower and 570 lb.-ft. torque. To be furnished with heavy duty dry type air cleaner, oil filter, and fuel filter.

**Transmission:** To be equipped with standard automatic transmission, minimum four speeds forward, and include oil cooler.

**Front Axle:** Axle and suspension to conform to vehicle GVWR. To have heavy duty shock absorbers.

**Rear Axle:** To be single reduction with approximately 3.7 to 1 ratio. Axle and suspension to conform to vehicle GVWR. To have heavy duty shock absorbers. Limited slip/locking differential to be furnished.

**Steering:** To have power assist.

**Brakes:** To have power assisted four wheel disc brakes with antilock braking system.

**Tires:** To be equipped with minimum LT245/75R16 radial tires, including the spare tire. Size to be correct for load capacity of above GVWR. All tires to be all season or mud and snow tread design. Tread design must be approved by the Asset Management Division - Equipment Section. Rims to be one-piece design. To include spare tire, rim, and carrier. Hub caps are to be included.

**Electrical System:** To be 12 volt with minimum 105 amp alternator and heavy duty battery(ies) rated at minimum 1,200 CCA total at 0°F.

**Cooling System:** To have heavy duty cooling system with largest capacity radiator offered for vehicle quoted.

Engine coolant is to be ethylene glycol type antifreeze meeting the requirements of TMC RP-329 (fully formulated, low silicate, nitrite containing) mixed 50-50 with water to provide -34° F. protection. Antifreeze is to be on the current Penray® Fill-For-Life program approved list. Documentation should be provided with the bid to show that the coolant is on the list.

**Body:** To be furnished with double wall straight side body with inside dimensions approximately 96" long and 65" wide.

**Exterior:** To be furnished with halogen headlights, taillights, brake lights, signal lights, traffic hazard lights, and bed cargo light. To have dual electric intermittent windshield wipers and windshield washer. Glass to be tinted on all windows. To have right and left low mount outside mirrors (non-glare) approximately 6"x9" dimension. To be furnished with jack and lug wrench.

To be equipped with frame mounted front tow hooks.

To be furnished with a rear step bumper.

To include a trailer towing package with a class IV receiver hitch and seven pole trailer connector installed.

**Interior:** To be furnished with factory installed air conditioning, heater and defroster (fresh air type), inside rear view mirror, driver and passenger sun visors, vinyl covered seat, door mounted arm rest, vinyl floor covering, cigarette lighter, dome light, factory installed AM/FM radio, lap/shoulder belts, and dual air bags. To be equipped with manufacturer's standard gauges and warning lights.

**R.F. Noise Suppression & Immunity:** All vehicle electrical and electronic systems will include sufficient radio frequency shielding, bonding and techniques to prevent interference to two-way radio equipment installed by VDOT and to prevent erratic operation when the VDOT two-way radio is transmitting. This includes, but is not limited to, electrical supply and distribution, ignition, lighting, engine control and instrumentation, braking and entertainment electronics. The vehicle's electrical relays and circuit breakers are to be magnetically suppressed. Specifically, total vehicle electrical noise shall not exceed -126 dBm (0.10 uV) between 42 to 50 MHz, as measured at the terminals of the VDOT installed two-way radio antenna. All vehicle electrical and/or electronic systems will operate normally with no false or erratic behavior when a VDOT installed two-way radio with 100 watts of power output to the

VDOT installed two-way radio antenna is transmitting on radio frequencies between 42 and 50 MHz.

**Option - Extended Cab Short Bed:** Quote the price for the identical chassis specification except substitute an extended cab with approximately 142" wheelbase and 6.5' body in place of standard cab and 8' body.

**Option - Extended Cab Long Bed:** Quote the price for the identical chassis specification except substitute an extended cab with approximately 157" wheelbase and 8' body in place of standard cab and 8' body.

**Option - Crew Cab Short Bed:** Quote the price for the identical chassis specification except substitute a crew cab with approximately 153" wheelbase and 6.5' body in place of standard cab and 8' body.

**Option - Crew Cab Long Bed:** Quote the price for the identical chassis specification except substitute a crew cab with approximately 167" wheelbase and 8' body in place of standard cab and 8' body.

**Option - Seats:** Quote the price for high back bucket seats with no center console for any of the above units.

**Option - Push Bumper:** Quote the price for a full size rubber face push bumper 18" height, AW Direct Model #HDB-11 or equal, for any of the above units.

**Optional Bid – Printed Shop Manuals:** Quote the price per set for printed shop service manuals when ordered with the vehicle. Manuals to be for the complete vehicle including engine, transmission, electrical system with wiring diagrams, and emissions system. A quote is desired, but not required.

**Safety:** Vehicle to be furnished shall conform to all applicable Federal Motor Vehicle Safety Standards, and all equipment shall conform to the Code of Virginia and shall include a valid State Inspection Sticker.

**Paint:** To be factory painted white

**Warranty:** The manufacturer's standard warranty is to apply. Minimum of 36 months/36,000 miles with no charge for labor or parts from the date the unit is placed in service by VDOT. Any forms required for updating warranty start dates are to be delivered to VDOT at the time of delivery of the unit.

**Dealer Prep:** New vehicle service preparation must be performed by the dealer prior to the delivery.



**Manufacturer's Certificate of Origin:** A Manufacturer's Certificate of Origin (MCO) for titling purposes must be furnished for each vehicle, delivered with the invoice to the billing location. No invoice will be processed for payment without receipt of the MCO.

**Advertisement:** No stickers, decals, or plates displaying dealer or distributor name or logo shall be affixed to equipment. Manufacturer's plate with model and serial number is to be on the equipment.

**Current Model:** Equipment is to be a standard proven model of manufacturer's latest current production and include *all standard equipment as advertised* with additional optional equipment outlined herein. All components, unless otherwise required by these specifications, shall be the standard or optional equipment specifically advertised and installed by the manufacturer.

**Bid Literature:** Descriptive literature will be required to substantiate the details specified in bid.

**Truck Questionnaire:** Please complete the attached Truck Questionnaire and return it with the bid.

**Equipment Data Sheet:** Upon award of contract, successful bidder will be furnished an "Equipment Data Sheet" requesting details of unit being furnished. It is to be completed and returned to the Asset Management Division - Equipment Section within six calendar weeks after receipt. Unit delivered must be in accordance with information furnished on the Equipment Data Sheet unless otherwise approved by the Asset Management Division - Equipment Section.

**NOTE:** The Equipment Data Sheet must be completed and returned by mail to the Asset Management Division - Equipment Section, 1401 East Broad Street, Richmond, VA, 23219, or by fax to (804) 236-3609, before any units will be approved for payment.

**Technical Service Bulletins:** Successful bidder shall provide technical service bulletins (TSBs) for all equipment delivered to a VDOT district location for a period of 5 years from the date of delivery. TSBs may be furnished in paper format, on CD-ROM updated regularly, or by allowing access to the manufacturer's website containing TSBs by all VDOT shop locations. VDOT personnel will monitor receipt of TSBs and annually contact the vendor/manufacturer if no TSBs are received.

**Technician Training:** The successful bidder agrees to conduct training sessions developed specifically for VDOT's equipment repair technicians. The training will be scheduled through VDOT's contracted training coordinator, ManTech Solutions and Technologies Corporation. Bidder shall provide the name and telephone number of the equipment manufacturer's training representative in the blanks at the end of this section. Training is to commence, as determined by VDOT, approximately six to twelve months after the last unit is placed in service by VDOT.

Training topics will be determined by VDOT and communicated to the manufacturer's training representative by ManTech. A list will be sent to the manufacturer's training representative detailing any problems VDOT has encountered with the equipment. Training shall include complete diagnosis and repair of the listed problems as well as detailed preventive maintenance procedures (A, B, C, & D levels) and discussion of any problems or updates known by the manufacturer. ManTech will send the list to the manufacturer two months prior to the scheduled training date.

One training session will be scheduled in each district (at the district equipment section location) that received the equipment. The maximum number of training sessions required per year would be ten. For renewable term contracts, training sessions will be required each year orders are placed from the contract.

Training sessions will include a minimum of 16 hours (two eight-hour days) of training.

Manufacturer's Training Representative

Name: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

# VIRGINIA DEPARTMENT OF TRANSPORTATION

## TRUCK QUESTIONNAIRE

Bidder is required to furnish the following data as part of this bid:

RFQ No. \_\_\_\_\_ Dated \_\_\_\_\_

Name and Address of Bidder \_\_\_\_\_

Year \_\_\_\_\_ Make \_\_\_\_\_ Model \_\_\_\_\_ GVWR \_\_\_\_\_ GCWR \_\_\_\_\_

Wheelbase \_\_\_\_\_ CA \_\_\_\_\_ CE \_\_\_\_\_ Unit Weight \_\_\_\_\_

Frame Size \_\_\_\_\_ Sec. Mod. \_\_\_\_\_ RBM \_\_\_\_\_

Reinforcement Location and Type \_\_\_\_\_

Engine Make \_\_\_\_\_ Model \_\_\_\_\_ No. Cyls. \_\_\_\_\_

Displacement \_\_\_\_\_ ci/l Gross HP \_\_\_\_\_ @ \_\_\_\_\_ RPM Gross Torque \_\_\_\_\_ @ \_\_\_\_\_ RPM

Front Axle Make \_\_\_\_\_ Model \_\_\_\_\_ Load Rating \_\_\_\_\_

Rear Axle Make \_\_\_\_\_ Model \_\_\_\_\_ Load Rating \_\_\_\_\_

Differential Ratio(s) \_\_\_\_\_ Road Speed @ Rated RPM \_\_\_\_\_ MPH

Gradeability % \_\_\_\_\_

Front Brake Size \_\_\_\_\_ Rear Brake Size \_\_\_\_\_

Clutch Size \_\_\_\_\_ Type \_\_\_\_\_ No. Disks \_\_\_\_\_

Battery Volts \_\_\_\_\_ No. \_\_\_\_\_ CCA @ 0° \_\_\_\_\_

Front Spring Cap. @ Ground \_\_\_\_\_ Rear Spring Cap. @ Ground \_\_\_\_\_

Auxiliary Spring Cap. \_\_\_\_\_ Each Side

Trans. Make \_\_\_\_\_ Model \_\_\_\_\_ Ratios: Rev. \_\_\_\_\_ Low \_\_\_\_\_ 1<sup>st</sup> \_\_\_\_\_

2<sup>nd</sup> \_\_\_\_\_ 3<sup>rd</sup> \_\_\_\_\_ 4<sup>th</sup> \_\_\_\_\_ 5<sup>th</sup> \_\_\_\_\_ 6<sup>th</sup> \_\_\_\_\_ 7<sup>th</sup> \_\_\_\_\_ 8<sup>th</sup> \_\_\_\_\_ 9<sup>th</sup> \_\_\_\_\_

10<sup>th</sup> \_\_\_\_\_ 11<sup>th</sup> \_\_\_\_\_ 12<sup>th</sup> \_\_\_\_\_ 13<sup>th</sup> \_\_\_\_\_ 14<sup>th</sup> \_\_\_\_\_ 15<sup>th</sup> \_\_\_\_\_ Aux. Trans. \_\_\_\_\_

Tire Make \_\_\_\_\_ Size \_\_\_\_\_ Ply Rating \_\_\_\_\_

Wheel Make \_\_\_\_\_ Type \_\_\_\_\_ Rim Size \_\_\_\_\_

Manufacturer's Paint Code Number \_\_\_\_\_

Remarks: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Contract Description: TRUCK, 3/4 Ton

Page No. 1 of 2

Contract ID : 00000000000022431  
Effective Date : 10/14/2004  
Max Amount Per Contract : \$.00

Contract Begin Date : 10/13/2004  
Contract End Date : 05/15/2005  
Buyer : David Smith  
Buyer Phone Nbr : 804/786-5179

Vendor Name : CAPITAL GMC TRUCKS, INC.  
Address1 : 5500 SOUTH LABURNUM AVE.  
Address2 :  
Address3 :  
Address4 :  
City : RICHMOND  
State : VA Zip Code : 23231

Vendor ID : 0000004074  
Phone : 804/222-4600  
Fax : 804/222-8467  
Vendor Contact : James Wester  
Vendor Contact Phone : 804/222-4600

Comments :

This contract is the result of RFQ # 91855, all terms and conditions will apply. Dated Oct 15 2004.

Manuals are an option \$95.00 options were a part of the award.

Line Nbr	Item Code	Make, Model	Item/ Category Description	UOM	Unit Price	Max Qty	Min Qty
1	0704857000	GMC Sierra 2500HD	TRUCKS, PICKUP, 3/4 TON TRUCKS, PICKUP, 3/4 TON	EA	19,778.0000 20,162.00	0.00	0.00
2	0559903010	GMC Extended Cab Short BED	CAB, EXTENDED VEHICLE OPTIONS "C"	EA	2,232.0000 2,299.00	0.00	0.00
3	0559903010	GMC Extended Cab Long Bed	CAB, EXTENDED VEHICLE OPTIONS "C"	EA	2,377.0000 2,558.00	0.00	0.00
4	0559903005	GMC Crew Cab Short Bed	CAB, CREW VEHICLE OPTIONS "C"	EA	3,931.0000 4,349.00	0.00	0.00
5	0559903005	GMC Crew Cab Long Bed	CAB, CREW VEHICLE OPTIONS "C"	EA	4,172.0000 4,643.00	0.00	0.00
6	0559919265	GMC Seats High Back	SEAT, HIGH BACK VEHICLE OPTIONS "S"	EA	1.0000	0.00	0.00
7	0559904450	Push bumper 18# approx rubber faced	DIAGRAMS/ETC. VEHICLE OPTIONS "D"	EA	675.0000 738.00	0.00	0.00
8	0559919290	Manuals	SERVICE MANUALS VEHICLE OPTIONS "S"	EA	95.0000	0.00	0.00

End of Report